

---

March 22, 2019

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:

**UMATILLA SCHOOL DISTRICT  
ALT ED**

---

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
9196306	1	2019-03-18 @ 11:00 am	2019-03-21 @ 10:00 am	< 0.3	2019-03-22
9196322	1	2019-03-18 @ 11:00 am	2019-03-21 @ 10:00 am	0.9 ± 0.3	2019-03-22
9196317	2	2019-03-18 @ 11:00 am	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
7249244	4	2019-03-18 @ 11:00 am	2019-03-21 @ 8:00 am	7.8 ± 0.5	2019-03-22
9196305	4	2019-03-18 @ 11:00 am	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
9196318	5	2019-03-18 @ 11:00 am	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
9196315	5	2019-03-18 @ 11:00 am	2019-03-21 @ 10:00 am	0.6 ± 0.3	2019-03-22
9196321	6	2019-03-18 @ 11:00 am	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22

---

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 22, 2019

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**UMATILLA SCHOOL DISTRICT**  
**DISTRICT OFFICE**

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
9196330	BOARD ROOM	2019-03-18 @ 12:00 pm	2019-03-21 @ 10:00 am	1.3 ± 0.3	2019-03-22
9196289	BREAK ROOM	2019-03-18 @ 12:00 pm	2019-03-21 @ 10:00 am	1.3 ± 0.3	2019-03-22
9196290	BUSINESS OFFICE	2019-03-18 @ 12:00 pm	2019-03-21 @ 10:00 am	1.5 ± 0.3	2019-03-22
9196283	CONFERENCE ROOM	2019-03-18 @ 12:00 pm	2019-03-21 @ 10:00 am	1.2 ± 0.3	2019-03-22
9196292	COPY ROOM	2019-03-18 @ 12:00 pm	2019-03-21 @ 10:00 am	1.1 ± 0.3	2019-03-22
9196201	CUBICLES	2019-03-18 @ 12:00 pm	2019-03-21 @ 10:00 am	1.5 ± 0.3	2019-03-22
9196294	ENTRY	2019-03-18 @ 12:00 pm	2019-03-21 @ 10:00 am	1.2 ± 0.3	2019-03-22
9196291	ENTRY	2019-03-18 @ 12:00 pm	2019-03-21 @ 10:00 am	< 0.3	2019-03-22
7249245	ENTRY	2019-03-18 @ 12:00 pm	2019-03-21 @ 8:00 am	8.1 ± 0.5	2019-03-22
9196281	HEIDIES OFFICE	2019-03-18 @ 12:00 pm	2019-03-21 @ 10:00 am	1.2 ± 0.3	2019-03-22

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

---

March 22, 2019

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:

**UMATILLA SCHOOL DISTRICT  
DISTRICT SHOP**

---

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
7249897	OFFICE	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	2.9 ± 0.3	2019-03-22
7249891	OFFICE	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	2.9 ± 0.3	2019-03-22
7249890	OFFICE	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	< 0.3	2019-03-22
7249250	OFFICE 2	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	7.1 ± 0.4	2019-03-22
7249892	OFFICE 2	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	2.5 ± 0.3	2019-03-22

---

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:  
**UMATILLA SCHOOL DISTRICT  
HIGH SCHOOL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9196268		2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	1.4 ± 0.3	2019-03-22
9196260		2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.6 ± 0.3	2019-03-22
9196264	011	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	5.1 ± 0.4	2019-03-22
9196301	011	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	4.9 ± 0.4	2019-03-22
7249242	011	2019-03-18 @ 10:00 am	2019-03-21 @ 8:00 am	7.6 ± 0.5	2019-03-22
9196320	016	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	4.2 ± 0.4	2019-03-22
9196249	100A	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	1.9 ± 0.3	2019-03-22
9196250	100A	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	1.7 ± 0.3	2019-03-22
9196263	100B	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	1.8 ± 0.3	2019-03-22
9196254	100C	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	1.6 ± 0.3	2019-03-22
9196300	101	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	4.4 ± 0.4	2019-03-22
9196255	101	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	3.6 ± 0.4	2019-03-22
9196252	101A	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.8 ± 0.3	2019-03-22
9196253	101B	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	4.5 ± 0.4	2019-03-22
9196245	101C	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.7 ± 0.3	2019-03-22
9196302	102	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.3 ± 0.3	2019-03-22
9196307	103	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	3.6 ± 0.4	2019-03-22
9196271	104	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	3.7 ± 0.3	2019-03-22
9196299	104	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	3.4 ± 0.3	2019-03-22
9196251	105	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	< 0.3	2019-03-22
9196244	105	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	2.3 ± 0.3	2019-03-22
9196246	107	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	2.0 ± 0.3	2019-03-22
9196303	108	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.2 ± 0.3	2019-03-22
9196205	109	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.4 ± 0.3	2019-03-22
9196304	112	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	7.6 ± 0.5	2019-03-22
9196247	112	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	8.0 ± 0.5	2019-03-22
9196309	113	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.4 ± 0.3	2019-03-22
9196269	125	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	1.1 ± 0.3	2019-03-22
9196270	125	2019-03-18 @ 10:00 am	2019-03-21 @ 11:00 am	1.0 ± 0.3	2019-03-22
9196308	202	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
9196262	203	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.9 ± 0.3	2019-03-22
9196265	205	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
9196243	206	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.9 ± 0.3	2019-03-22
9196242	207	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
9196298	208	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	1.0 ± 0.3	2019-03-22
9196276	209	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
9196297	211	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	1.0 ± 0.3	2019-03-22

Radon test result report for:

**UMATILLA SCHOOL DISTRICT  
HIGH SCHOOL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9196277	212	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	1.4 ± 0.3	2019-03-22
9196278	213	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
9196266	216	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
9196257	217	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.7 ± 0.3	2019-03-22
9196258	217	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.9 ± 0.3	2019-03-22
9196274	ADMIN OFFICE	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	< 0.3	2019-03-22
9196248	ADMIN OFFICE	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.0 ± 0.3	2019-03-22
9196256	ADMIN WAITING RM	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	1.8 ± 0.3	2019-03-22
9196282	ART ROOM	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	1.0 ± 0.3	2019-03-22
9196261	BAND OFFICE	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	0.6 ± 0.3	2019-03-22
9196272	BAND ROOM	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	0.6 ± 0.3	2019-03-22
9196273	COMMONS	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	< 0.3	2019-03-22
7249243	COMMONS	2019-03-18 @ 10:00 am	2019-03-21 @ 8:00 am	7.6 ± 0.5	2019-03-22
9196319	GYM	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.5 ± 0.3	2019-03-22
9196313	GYM	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.4 ± 0.3	2019-03-22
9196314	GYM	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.6 ± 0.3	2019-03-22
9196311	GYM	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.5 ± 0.3	2019-03-22
9196338	GYM	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.5 ± 0.3	2019-03-22
9196312	GYM	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	2.3 ± 0.3	2019-03-22
9196259	SCOTTS OFFICE	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	1.8 ± 0.3	2019-03-22
9196275	SHOP	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.9 ± 0.3	2019-03-22
9196279	SHOP	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.7 ± 0.3	2019-03-22
9196280	SHOP 601	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	1.1 ± 0.3	2019-03-22
9196295	SHOP 606	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	1.2 ± 0.3	2019-03-22
9196285	SHOP 607	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
9196293	SHOP 607	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.6 ± 0.3	2019-03-22
9196296	SHOP 608	2019-03-18 @ 11:00 am	2019-03-21 @ 9:00 am	0.7 ± 0.3	2019-03-22
9196310	WEIGHT ROOM	2019-03-18 @ 10:00 am	2019-03-21 @ 9:00 am	4.0 ± 0.3	2019-03-22

Radon test result report for:  
**UMATILLA SCHOOL DISTRICT**  
**MCNARY ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9196326		2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
9196400		2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	2.0 ± 0.3	2019-03-22
9196376		2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.1 ± 0.3	2019-03-22
7249895		2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.6 ± 0.3	2019-03-22
9196361	04	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
7249253	07	2019-03-18 @ 2:00 pm	2019-03-21 @ 8:00 am	7.2 ± 0.4	2019-03-22
9196357	07	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.8 ± 0.3	2019-03-22
9196369	09	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.6 ± 0.3	2019-03-22
9196348	10	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.7 ± 0.3	2019-03-22
7249893	11	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
9196347	13	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
9196352	14	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
9196339	A POD	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
9196349	A1	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.6 ± 0.3	2019-03-22
9196343	A2	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
9196362	A2	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	< 0.3	2019-03-22
9196344	A3	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.9 ± 0.3	2019-03-22
9196333	A4	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	< 0.3	2019-03-22
9196354	A4	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.6 ± 0.3	2019-03-22
9196346	A5	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.6 ± 0.3	2019-03-22
9196340	A6	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
7249894	B1	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
7249252	B1	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	7.5 ± 0.4	2019-03-22
9196329	B2	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
9196337	B3	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
7249889	B4	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
9196324	B5	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
9196325	B5	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.5 ± 0.3	2019-03-22
9196331	B6	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
9196332	B7	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.5 ± 0.3	2019-03-22
9196358	C1	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	< 0.3	2019-03-22
9196366	C1	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.8 ± 0.3	2019-03-22
9196368	C2	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.6 ± 0.3	2019-03-22
9196370	C3	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.6 ± 0.3	2019-03-22
9196359	C4	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	< 0.3	2019-03-22
9196345	C5	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.6 ± 0.3	2019-03-22
9196364	C6	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	< 0.3	2019-03-22

Radon test result report for:  
**UMATILLA SCHOOL DISTRICT**  
**MCNARY ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9196365	C7	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.6 ± 0.3	2019-03-22
9196373	CAFETERIA	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.8 ± 0.3	2019-03-22
9196371	CEFETERIA	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.7 ± 0.3	2019-03-22
9196377	CPOD	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.8 ± 0.3	2019-03-22
9196372	D1	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.6 ± 0.3	2019-03-22
9196379	D1	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.7 ± 0.3	2019-03-22
9196378	D2	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.5 ± 0.3	2019-03-22
9196374	D3	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.6 ± 0.3	2019-03-22
9196284	GYM	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	1.2 ± 0.3	2019-03-22
9196316	GYM	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	1.3 ± 0.3	2019-03-22
9196323	GYM	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	1.0 ± 0.3	2019-03-22
9196389	I1	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.2 ± 0.3	2019-03-22
9196375	I10	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.2 ± 0.3	2019-03-22
9196388	I11	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.1 ± 0.3	2019-03-22
9196382	I11	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.3 ± 0.3	2019-03-22
9196384	I12	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.0 ± 0.3	2019-03-22
9196387	I13	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.3 ± 0.3	2019-03-22
9196391	I14	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.5 ± 0.3	2019-03-22
9196386	I2	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.1 ± 0.3	2019-03-22
9196394	I4	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.8 ± 0.3	2019-03-22
9196390	I5	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.4 ± 0.3	2019-03-22
9196385	I6	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.0 ± 0.3	2019-03-22
9196383	I7	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.1 ± 0.3	2019-03-22
9196380	I8	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.1 ± 0.3	2019-03-22
9196381	I9	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	1.2 ± 0.3	2019-03-22
7249896	LIBRARY	2019-03-18 @ 1:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
9196367	LIBRARY OFFICE	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
9196342	MINI A POD	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.6 ± 0.3	2019-03-22
9196334	OLD ADMIN OFFICE	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
9196336	OLD ADMIN OFFICE 1	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
9196335	OLD ADMIN OFFICE 3	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.7 ± 0.3	2019-03-22
9196327	OLD ADMIN OFFICE 4	2019-03-18 @ 2:00 pm	2019-03-21 @ 10:00 am	0.8 ± 0.3	2019-03-22
9196350	OLD GYM	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	< 0.3	2019-03-22
9196363	OLD GYM	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.8 ± 0.3	2019-03-22
9196355	OLD GYM	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.7 ± 0.3	2019-03-22
9196351	OLD GYM	2019-03-18 @ 2:00 pm	2019-03-21 @ 11:00 am	0.7 ± 0.3	2019-03-22
9196396	Q1	2019-03-18 @ 3:00 pm	2019-03-21 @ 11:00 am	< 0.3	2019-03-22

---

March 22, 2019

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:

**UMATILLA SCHOOL DISTRICT  
MCNARY ELEMENTARY**

---

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
9196398	Q1	2019-03-18 @ 3:00 pm	2019-03-21 @ 11:00 am	0.7 ± 0.3	2019-03-22
9196395	Q2	2019-03-18 @ 3:00 pm	2019-03-21 @ 11:00 am	0.7 ± 0.3	2019-03-22
9196397	Q3	2019-03-18 @ 3:00 pm	2019-03-21 @ 11:00 am	0.6 ± 0.3	2019-03-22
9196392	Q4	2019-03-18 @ 3:00 pm	2019-03-21 @ 11:00 am	< 0.3	2019-03-22

---

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498



Radon test result report for:  
**UMATILLA SCHOOL DISTRICT  
MIDDLE SCHOOL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9196232		2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.5 ± 0.3	2019-03-22
9196230	022	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	0.8 ± 0.3	2019-03-22
9196206	10	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	1.8 ± 0.3	2019-03-22
9196236	105	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	1.2 ± 0.3	2019-03-22
9196237	105	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	0.8 ± 0.3	2019-03-22
9196213	107	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	1.2 ± 0.3	2019-03-22
9196211	108	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	0.8 ± 0.3	2019-03-22
9196216	129	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	0.8 ± 0.3	2019-03-22
9196238	145	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
9196212	145	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
7249241	147	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	< 0.3	2019-03-22
7249246	148	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	1.1 ± 0.3	2019-03-22
7249247	193	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	0.7 ± 0.3	2019-03-22
9196209	195	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	0.8 ± 0.3	2019-03-22
9196210	197	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	0.6 ± 0.3	2019-03-22
9196239	199	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	< 0.3	2019-03-22
9196240	199	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	1.1 ± 0.3	2019-03-22
9196217	204	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	0.7 ± 0.3	2019-03-22
9196233	205	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	0.7 ± 0.3	2019-03-22
9196235	206	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	0.9 ± 0.3	2019-03-22
9196219	208	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	0.5 ± 0.3	2019-03-22
9196218	208	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	< 0.3	2019-03-22
9196227	209	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.1 ± 0.3	2019-03-22
7249240	209	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	7.0 ± 0.4	2019-03-22
9196208	7	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	2.6 ± 0.3	2019-03-22
9196207	8	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	2.9 ± 0.3	2019-03-22
9196203	9	2019-03-18 @ 9:00 am	2019-03-21 @ 9:00 am	1.9 ± 0.3	2019-03-22
9196220	ADMIN CONFERENCE ROOM	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.1 ± 0.3	2019-03-22
9196228	ADMIN OFFICE	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.3 ± 0.3	2019-03-22
9196202	BOYS COACH OFFICE	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	1.2 ± 0.3	2019-03-22
7249248	CAFETERIA	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	1.4 ± 0.3	2019-03-22
7249249	CAFETERIA	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	1.3 ± 0.3	2019-03-22
9196229	DEANS OFFICE	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.5 ± 0.3	2019-03-22
9196204	GIRLS COACHES OFFICE	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	1.1 ± 0.3	2019-03-22
9196223	GYM	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.4 ± 0.3	2019-03-22
9196224	GYM	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	1.1 ± 0.3	2019-03-22
9196234	GYM	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.4 ± 0.3	2019-03-22

---

March 22, 2019

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:

**UMATILLA SCHOOL DISTRICT  
MIDDLE SCHOOL**

---

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
9196231	GYM	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.5 ± 0.3	2019-03-22
9196225	GYM	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.3 ± 0.3	2019-03-22
9196222	GYMNASIUM	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.9 ± 0.3	2019-03-22
9196215	MUSIC OFFICE	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	2.3 ± 0.3	2019-03-22
9196226	MUSIC ROOM	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	2.0 ± 0.3	2019-03-22
9196221	PRINCIPALS OFFICE	2019-03-18 @ 8:00 am	2019-03-21 @ 8:00 am	1.1 ± 0.3	2019-03-22
9196241	STAGE	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	1.4 ± 0.3	2019-03-22
9196214	STAGE OFFICE	2019-03-18 @ 9:00 am	2019-03-21 @ 8:00 am	1.1 ± 0.3	2019-03-22

---

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

---

March 22, 2019

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:

**UMATILLA SCHOOL DISTRICT  
SENIOR CENTER**

---

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
7249888	MEETING ROOM 1	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	1.2 ± 0.3	2019-03-22
9196288	MEETING ROOM 1	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	1.3 ± 0.3	2019-03-22
7249251	MEETING ROOM 1	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	6.7 ± 0.4	2019-03-22
9196286	MEETING ROOM 1	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	< 0.3	2019-03-22
9196287	MEETING ROOM 2	2019-03-18 @ 1:00 pm	2019-03-21 @ 8:00 am	1.7 ± 0.3	2019-03-22

---

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498